

FIG. 1






FIG. 2





505 MAINTAIN A DATABASE OF MANAGED OBJECTS ASSOCIATED WITH MANAGED ENTITY ICONS CORRESPONDING TO MANAGED ENTITIES OF A STORAGE AREA NETWORK

510 DISPLAY A HIERARCHY (E.G., VIA A VERTICAL HIERARCHY) OF THE MANAGED ENTITY ICONS

IN RELATION TO AT LEAST A PORTION OF THE MANAGED ENTITY ICONS IN THE HIERARCHY, PROVIDE A DISPLAY REGION IN RELATION TO THE MANAGED ENTITY ICONS TO RECEIVE AN INPUT SELECTION BY A USER, THE INPUT SELECTION IDENTIFYING WHICH MANAGEMENT INFORMATION TO DISPLAY FOR ONE OR MORE SELECTED MANAGED ENTITIES OF THE NETWORK

RECEIVE SELECTION BY A USER OF A TYPE OF MANAGEMENT VIEW IN WHICH TO DISPLAY MANAGEMENT INFORMATION ASSOCIATED WITH MANAGED ENTITIES REPRESENTED BY THE SELECTED ONE OR MORE MANAGED ENTITY ICONS IN THE HIERARCHY

UPON DETECTING SELECTION OF THE TYPE OF MANAGEMENT VIEW, RETRIEVE CORRESPONDING MANAGED OBJECTS STORED IN THE DATABASE ASSOCIATED WITH THE SELECTED ONE OR MORE MANAGED ENTITY ICONS

BASED ON THE SELECTION OF A TYPE OF MANAGEMENT VIEW FOR DISPLAYING INFORMATION, APPLYING A DISPLAY FUNCTION TO THE MANAGEMENT INFORMATION ASSOCIATED WITH THE AT LEAST ONE MANAGED ENTITY IN THE NETWORK TO GRAPHICALLY DISPLAY THE MANAGEMENT INFORMATION ASSOCIATED WITH THE SELECTED ONE OR MORE MANAGED ENTITY ICONS

DISPLAY A MANAGEMENT VIEW ON A PORTION OF THE DISPLAY SCREEN, THE MANAGEMENT VIEW INCLUDING MANAGEMENT INFORMATION (E.G., A GRAPHICAL PRESENTATION) ASSOCIATED WITH THE SELECTED ONE OR MORE MANAGED ENTITIES IN THE NETWORK




FIG. 7

FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

FIG. 14




FIG. 15

FIG. 16

FIG. 17

Stronge Port Stro	>	og Relationship			The state of the co		5 THE R. P. LEWIS CO. P. LEWIS			A 44 Nova O Cott	
			9692.00	nistration • Iship = Performan	Data Protection Toe	5				Sich 41 New, 8 Fate	×
Exchange System (by Storage Color) Parti Storage Parti Storage Color) Parti Storage System (by Storage Color) Parti Storage System (by Storage Color) Parti Storage System (by Storage System (by Storage Color) Parti Storage System (by Storage Color) Parti Storage System (by Storage System (by Storage Color) Parti Storage System (by System System (by Storage System (by System System System (by Syste	Action 3		orage				-Act	ויין ייייוטו	Filter 7. Etc	વર્ષ	×
⊕ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕ ⊕		Path: Storage	ort/Storage Group	-> Unallocated D	<u>, / , </u>	450					
# ⊕ 0001 67900032		Storage	Storage Device.			/Storage Group			volume Type	Section Sectio	
# □ Street Administration			€9 021	**************************************	A-15A	Port 0	90	욷	2-VVay Mir		•
□ Storage Administration □ 0.02 cB □ EALISA Port 0 0.03 No 2.Wey Mir □ StoragePool-1 □ Connectivity □ 0.052 cB □ EALISA Port 0 0.04 No 2.Wey Mir □ StoragePool-1 □ Connectivity □ 0.052 cB □ EALISA Port 0 0.03 No 2.Wey Mir □ StoragePool-1 □ Database on Instruces □ 0.052 cB □ EALISA Port 0 0.03 No 2.Wey Mir □ StoragePool-1 □ Stellus Acknowledged □ 0.052 cB □ EALISA Port 0 0.03 No 2.Wey Mir □ StoragePool-1 □ Database on Instruces □ 0.052 cB □ EALISA Port 0 0.03 No 2.Wey Mir □ StoragePool-1 □ Database on Instruces □ 0.052 cB □ EALISA Port 0 0.03 No 2.Wey Mir □ StoragePool-1 □ Database on Instruces □ 0.052 cB □ EALISA Port 0 0.03 No 2.Wey Mir □ StoragePool-1 □ Database on Instruces □ 0.052 cB □ EALISA Port 0 0.02 No 2.Wey Mir □ StoragePool-1 □ □ Database on Instruces □ 0.052 cB □ EALISA Port 0 0.02 No 2.Wey Mir □ StoragePool-1 □ Database on Instruces □ 0.052 cB □ EALISA Port 0 0.03 No 2.Wey Mir □ StoragePool-1 □ Database on Instruces □ 0.052 cB □ EALISA Port 1 0.03 No 2.Wey Mir □ StoragePool-1 □ Database on Instruces □ 0.052 cB □ EALISA Port 1 0.03 No 2.Wey Mir □ StoragePool-1 □ Database on Instruces □ Database EALISA Port 1 0.03 No 2.Wey Mir □ StoragePool-1 □ Database on Instruces □			© 022	*	A-15A	Port 0	005	2	2-VVay Mir	ियों StoragePool-1	
## Connectivity ## Connectivi	9		© 023		A-15A	Port 0	8	2	2-Way Mir	🗓 StoragePool-1	
## Continue	المراجب		6 024		A-15A	Port 0		夕.	2-VVay Mir	्रियो StoragePool-1	
## Carrier State Actinowledged ### Bit State St	μĻ		© 025		A-15B	Port 0	9	2	2-Way Mir	गुन्न StoragePool-1	
⊕ 027 0.92 GB ⊕ FA-15B Port 0 0.03 No 2-Wey Mir ⊕ StoragePool-1 ⊕ 1 Task Lists ⊕ 028 0.92 GB ⊕ FA-15B Port 0 0.04 No 2-Wey Mir ⊕ StoragePool-1 ⊕ 028 0.92 GB ⊕ 7-15B Port 0 0.01 No 2-Wey Mir ⊕ StoragePool-1 ⊕ 02B 0.92 GB ⊕ 7-15B Port 0 0.07 No 2-Wey Mir ⊕ StoragePool-1 ⊕ 02B 0.92 GB ⊕ 7-15B Port 0 0.07 No 2-Wey Mir ⊕ StoragePool-1 ⊕ 02B 0.92 GB ⊕ 7-15B Port 1 0.01 No 2-Wey Mir ⊕ StoragePool-1 ⊕ 02B 0.92 GB ⊕ 7-15B Port 1 0.01 No 2-Wey Mir ⊕ StoragePool-1 ⊕ 02B 0.92 GB ⊕ 7-15B Port 1 0.01 No 2-Wey Mir ⊕ StoragePool-1 ⊕ 02B 0.92 GB ⊕ 7-15B Port 1 0.03 No 2-Wey Mir ⊕ StoragePool-1 ⊕ 03B 0.9	ابا ا			-,	A-15B	Port 0	005	2	2-Way Mir	गुन्। StoragePool-1	
B+ Task Usts B	Status Acknowledged		69 027		A-15B	Port 0	003	2	2-Way Mir	िंगी StoragePool-1	
Section Sec	☐ ⊕-(☐ Task Lists				A-15B	Port 0	004	2	2-Way Mir	(i) StoragePool-1	~
					A-16A	Port 0	9	<u></u>	2-Way Mir	ற்று StoragePool-1	
(♣ 000000005225			€ 02A	4	A-16A	Port 0	005	욷	2-VVay Mir	ந்து StoragePool-1	
© 02C 0.92 GB (☐ FA-16A Port 0 0.04 No 2-Wey Mir ☑ StoragePool-1 © 02D 0.92 GB (☐ FA-16A Port 1 0.01 No 2-Wey Mir ☑ StoragePool-1 © 02E 0.92 GB (☐ FA-16A Port 1 0.01 No 2-Wey Mir ☑ StoragePool-1 © 02E 0.92 GB (☐ FA-16A Port 1 0.03 No 2-Wey Mir ☑ StoragePool-1 © 035 0.92 GB (☐ FA-16A Port 1 0.03 No 2-Wey Mir ☑ StoragePool-1 © 035 0.92 GB (☐ FA-16B Port 0 0.01 No 2-Wey Mir ☑ StoragePool-1 © 035 0.92 GB (☐ FA-16B Port 0 0.01 No 2-Wey Mir ☑ StoragePool-1 © 036 0.92 GB (☐ FA-16B Port 0 0.03 No 2-Wey Mir ☑ StoragePool-1 © 037 0.92 GB (☐ FA-16B Port 0 0.03 No 2-Wey Mir ☑ StoragePool-1 © 038 0.92 GB (☐ FA-16B Port 0 0.03 No 2-Wey Wir ☑ StoragePool-1		00000000522	(3)	Sec. 10.	A-16A	Port 0	. 2003	운	2-VVay Mir	(i) StoragePool-1	
(2) G2B G3B FA-15A Port 1 001 No 2-Way Mir 可認 Storage Pool-1 (2) G2B G3F FA-15A Port 1 002 No 2-Way Mir 可認 Storage Pool-1 (2) G3C G8 [3 FA-15A Port 1 002 No 2-Way Mir 可認 Storage Pool-1 (2) G3C G8 [3 FA-15A Port 1 004 No 2-Way Mir 可認 Storage Pool-1 (2) G3C G8 [3 FA-15A Port 0 004 No 2-Way Mir 可認 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir 可認 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir 可認 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir 可認 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir 可認 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir 可認 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir 可認 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir 可認 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir 可認 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir 可認 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir [3 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir [3 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir [3 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir [3 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir [3 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir [3 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir [3 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir [3 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir [3 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir [3 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir [3 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir [3 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir [3 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir [3 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir [3 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir [3 Storage Pool-1 (2) G3C G8 [3 FA-15B Port 0 004 No 2-Way Mir [3 Storage Pool-1 (2) G3C G8 [3 FA-15B Pool-1 (2) G3C G8 [3 FA-15			(D)	3	A-16A	Port 0	904	욷	2-VVay Mir	டுப் StoragePool-1	
(2) G2 G3 C2F G3 C3 G (€ 02D		A-16A	Port 1	9	2	2-Way Mir		
(2) 0.92 GB (2) FA-16A Port 1 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 001 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 002 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 002 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) FA-16B Port 0 003 No 2-Way Mir (1) StoragePool-1 (2) 0.92 GB (2) EB FA-16B Port 0 003 No 2-Way Mir (1) EB FA-16B Port 0 003 No 2-Way Mir (1) EB FA-16B Port 0 003 No 2-Way Mir (1) EB FA-16B Port 0 003 No 2-Way Mir (1) EB FA-16B Port 0 003 No 2-Way Mir (1) EB FA-16B Port 0 0			© 02E		A-15A	Port 1	907	2	2-VVay Mir	िंगु StoragePool-1	
(表) 0.92 GB (音 FA-16A Port 1 004 No 2-Way Mir 引き StoragePool-1 (表) 0.92 GB (音 FA-16B Port 0 001 No 2-Way Mir 引き StoragePool-1 (表) 0.92 GB (音 FA-16B Port 0 002 No 2-Way Mir 引き StoragePool-1 (表) 0.92 GB (音 FA-16B Port 0 003 No 2-Way Mir 引き StoragePool-1 (表) 0.92 GB (音 FA-16B Port 0 003 No 2-Way Mir 引き StoragePool-1 (表) 0.92 GB (音 FA-16B Port 0 003 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 003 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB (音 FA-16B Port 0 004 No 2-Way Mir 引き StoragePool-1 (本) 0.92 GB			€9 02F	I	'A-16A	Port 1	003	2	2-Way Mir	[]] StoragePool-1	
(2) CB (国 FA-16B Port 0 001 No 2-Way Mir (別 StoragePool-1		of the second	000.00	田	A-16A	Port 1	904	2	2-Way Mir	ानु StoragePool-1	
(表) 032 0.92 GB (選 FA-16B Port 0 002 No 2-Way Mir 配 StoregePool-1 (表) 033 0.92 GB (選 FA-16B Port 0 003 No 2-Way Mir 配 StoregePool-1 (表) 034 0.92 GB (選 FA-16B Port 0 003 No 2-Way Mir 配 StoregePool-1 (本) 0.92 GB (選 FA-16B Port 0 004 No 2-Way Mir 配 StoregePool-1 (本) 0.92 GB (選 FA-16B Port 0 004 No 2-Way Mir 配 StoregePool-1 (本) 0.92 GB (選 FA-16B Port 0 004 No 2-Way Mir 配 StoregePool-1 (本) 0.92 GB (選 FA-16B Port 0 004 No 2-Way Mir 配 StoregePool-1 (本) 0.92 GB (選 FA-16B Port 0 004 No 2-Way Mir 配 StoregePool-1 (本) 0.92 GB (選 FA-16B Port 0 004 No 2-Way Mir 配 StoregePool-1 (本) 0.92 GB (選 FA-16B Port 0 004 No 2-Way Mir 配 StoregePool-1 (本) 0.92 GB (選 FA-16B Port 0 004 No 2-Way Mir 配 配 StoregePool-1 (本) 0.92 GB (選 FA-16B Port 0 004 No 2-Way Mir 配 配 StoregePool-1 (本) 0.92 GB (選 FA-16B Port 0 004 No 2-Way Mir 配 配 StoregePool-1 (本) 0.92 GB (選 FA-16B Port 0 004 No 2-Way Mir 配 配 StoregePool-1 (本) 0.92 GB (選 FA-16B Port 0 004 No 2-Way Mir 配 配 StoregePool-1 (本) 0.92 GB (国 FA-16B Port 0 004 No 2-Way Mir 配 配 StoregePool-1 (本) 0.92 GB (国 FA-16B Port 0 004 No 2-Way Mir 配 配 StoregePool-1 (本) 0.92 GB (国 FA-16B Port 0 004 No 2-Way Mir 配 配 Mir の C Way Mir 配 配 の C Way Mir 配 配 Mir の C Way Mir 配 Mir の C Way Mir 配 Mir		· dom	69 031		'A-16B	Port 0	8	2	2-Way Mir	[]] StoragePool-1	
(3) 0.92 GB (当 FA-16B Port 0 003 No 2-Way Mir 配 StoragePool-1		ingravita at	69 032	1	A-16B	Port 0	005	2	2-VVay Mir	ियो StoragePool-1	
Storage: HBA Storage Poor Port Drill Down by Host: Database File File System Volume Group Host: Database File File System Volume Group Host: Database File File System Volume Group Host			69 033		-A-16B	Port 0	933	2	2-VVay Mir	们 StoragePool-1	
Storage: HBA Storage Fool FortStorage Group Unallocated Device Host: Database File File System Volume Group Host	-	jeh, spenish	6 034	0.92 GB 国 F	.A-16B	Port 0	900	욷	2-Way Mir	ियो StoragePool-1	
Storage: HBA (Storage (Fool) (Port/Storage Group) Unallocated Device 188 Host: Database Instance Database File (File System (Volume Group) (Host)	± Tr. American		- Seu . CO		A 16B	Dod 1	J.	CIN	2 Mars Mir		
Storage: HBA) Storage (Foo) Fortisting Group (Unallocated Device) Host: Database Instance Database File File System (Volume Group) Host									-		
Storage: Host: Database Instance Database File File System Volume Groko Host		· name on a special or a second	14 7			wn Dy			007	um albem	4
	The second secon	້. ອ້		base File	(System)	Volume Group	المسادية)	<u>6</u>		
The state of the s					***************************************					多河南	**
	FIG. 18						420-3				




FIG. 1





FIG. 20






FIG. 22




FIG. 23

FIG. 24